


ADAS Equipment Decision Guide
















Choosing the right solution for your business

NEW



ADAS Calibration Type — Alignment vs. Collision or Part Replacement


Note: Coverage indicated is a guideline. Refer to appropriate coverage guide for detailed make, model, and year coverage.

 ADAS Calibration Due to Wheel Alignment	+ Current Model Year Vehicles, + Tech Help				✓	✓	✓
	 Alfa Romeo, Audi, BMW, Fiat, Lexus, Porsche, Subaru, Toyota, VW			✓		✓	✓
	 FCA 2018+, +Kia		✓	✓	✓	✓	✓
	 FCA thru 2017	✓	✓	✓	✓	✓	✓
	 Ford	✓	✓	✓	✓	✓	✓
	Steering Angle Sensors on most vehicles – integrated with WinAlign®	✓					
	Codelink® 	ADASLink™ 	ADASLink™ + DAS3000 	asTech** 	ADASLink™ + DAS3000 + asTech** 	asTech** + OEM Fixtures 	
 ADAS Calibration Due to Collision or Part/Windshield Replacement	 Ford, GM, FCA Forward Facing Camera & Radar		✓	✓	✓	✓	✓
	 + Ford & GM Surround View (mats) & Fiat + Jeep Renegade			✓		✓	✓
	 Acura, Audi, BMW, Genesis, Honda, Hyundai, Infiniti, Kia, Lexus, Mazda, Mercedes, Mitsubishi, Nissan, Subaru, Toyota, VW			✓		✓	✓
	+ Current Model Year Vehicles, + Tech Help				✓	✓	✓

* asTech[®] requires per-use fee

Required ADAS Resets After Wheel Alignment by OEM/System General

Note: Coverage indicated is a guideline. Refer to appropriate coverage guide for detailed make, model, and year coverage.































Make	ACC Forward Facing Radar	LDW Forward Facing Camera	RCS Rear Camera	NVS Night Vision	4WS Four-Wheel Steer	AFS Active Front Steering
 Alfa Romeo	✓ Static					
 Audi	✓ Static	✓ Static	✓ Static	✓ Static	✓ Scan Tool Procedure	✓ Scan Tool Procedure
 BMW	✓ Static				✓ Scan Tool Procedure	✓ Scan Tool Procedure
 Chevrolet <i>(02-05 Quadrateer Trucks Only)</i>					✓ Scan Tool Procedure	
 Chrysler thru 2017	✓ Dynamic					
 Chrysler 2018+	✓ Dynamic					
 Dodge thru 2017	✓ Dynamic					
 Dodge 2018+	✓ Dynamic					
 Fiat	✓ Static					
 Ford		✓ Dynamic				✓ Scan Tool Procedure
 GMC <i>(02-05 Quadrateer Trucks Only)</i>					✓ Scan Tool Procedure	
 Jeep thru 2017 <i>(Renegade is Static, all other Dynamic)</i>	✓ Dynamic					
 Jeep 2018+ <i>(Renegade is Static, all other Dynamic)</i>	✓ Dynamic					
 Kia	✓ Dynamic					
 Lexus		✓ Static <i>Limited Models</i>		✓ Static <i>2013-2015 GS Only</i>	✓ Scan Tool Procedure	✓ Scan Tool Procedure
 Lincoln		✓ Dynamic				✓ Scan Tool Procedure
 Porsche	✓ Static	✓ Static		✓ Static	✓ Scan Tool Procedure	✓ Scan Tool Procedure
 Subaru		✓ Static				
 Toyota		✓ Static <i>Limited Models</i>				✓ Scan Tool Procedure
 Volkswagen	✓ Static	✓ Static				

Exotics like Bentley, Ferrari, etc. are omitted above.

✓ Calibration Required After Wheel Alignment	Covered by CodeLink, ADASLink, & asTech	Covered by ADASLink & asTech	Covered by ADASLink & DAS3000 or asTech + Fixture	OEM Tool Required	Not Required
--	---	------------------------------	---	-------------------	--------------

ADAS Calibration Type by OEM

Note: Coverage indicated is a guideline. Refer to appropriate coverage guide for detailed make, model, and year coverage.

Make		ACC	LDW	Blind Spot Monitoring	Surround View	NVS
		Forward Facing Radar	Forward Facing Camera		360 Cameras/Rear Cameras	Night Vision
	Acura	Static	Static + Dynamic (Some)	Varies	Static	
	Audi*	Static	Static	Static	Static	Static
	BMW	Static	Dynamic			
	Buick*	Dynamic	Dynamic	Dynamic	Varies	
	Cadillac*	Dynamic	Dynamic	Dynamic	Varies	
	Chevrolet*	Dynamic	Dynamic	Dynamic	Varies	
	Chrysler	Dynamic	Dynamic			
	Dodge	Dynamic	Dynamic			
	Fiat	Varies	Mixed			
	Ford*	Dynamic	Dynamic	Program	Varies	
	Genesis**	Varies	Static	Static - placement only		
	GMC*	Dynamic	Dynamic	Dynamic	Varies	
	Honda	Static	Static + Dynamic (Some)	Varies	Static	
	Hyundai**	Varies	Static	Static - placement only		
	Infiniti	Static	Static		Static	
	Jaguar	Dynamic	Dynamic			
	Jeep <i>(Renegade is Static, all other Dynamic)</i>	Dynamic	Dynamic			
	Kia**	Varies	Static	Static - placement only		
	Land Rover	Dynamic	Dynamic			
	Lexus	Static	Static	Static	Static - Tape	Static
	Lincoln*	Dynamic	Dynamic	Program	Varies	
	Mazda	Static	Static	Static	Static	
	Mercedes Benz	Dynamic	Varies			Static
	Mitsubishi	Dynamic	Static	Static	Static	
	Nissan	Static	Static		Static	
	Porsche	Static	Static	Static	Static	Static
	Subaru		Static	Static	Static - Tape	
	Toyota	Static	Static	Static	Static - Tape	
	Volkswagen*	Static	Static		Static	
	Volvo	Dynamic	Dynamic	Dynamic		

Exotics like Bentley, Ferrari, etc. are omitted above.

*Programming Required for Sensor Replacement

**Need Part Number & Revision from Module/Sensor for calibration

Dynamic – ADASLink and/or asTech Covers Most	Static – DAS3000 Covers Most	OEM Tool Required	Not Required/Unknown
--	------------------------------	-------------------	----------------------

HUNTER
Engineering Company

www.hunter.com