

Quick Check[®] Commercial

Alignment and tread inspection for heavy-duty vehicles

NEW



MADE IN USA
HUNTER ENGINEERING COMPANY ST. LOUIS, MO

- ✓ Scan every axle, scan every tread
- ✓ Reduce fuel costs across the board
- ✓ Greatly extend tire life



Service Advisor

Unmanned Heavy-Duty Inspection

Automatic Alignment and Tread Depth Results

- ✓ **HD Quick Check Drive®** — Touchless total toe and scrub
- ✓ **Quick Tread Heavy** — Measures tread depth, and instantly displays results
- ✓ Discover critical safety, tire, and fuel saving opportunities
- ✓ No additional labor required

NO STOPPING



NO LABOR



NO DATA ENTRY*




HD Quick Check Drive® — The world's first drive-thru HD alignment inspection solution *including tandem axle scrub!*

Quick Tread Heavy — touchless tread depth measurements, *even on multi-trailers!*

HD Flightboard™

- ✓ Monitor fleet status live
- ✓ Multiple trailer tread display supported!



Hunter's touchless HD inspection solution provides total toe, scrub, and tread depth results in seconds, even on multi-trailer configurations and super single tires


Shop Results

Present detailed inspection information from any PC or tablet with an internet connection.



Push Reports

Daily delivery of inspection rates, opportunities, alignment numbers, and conversions by email and text from your connected Hunter equipment that allows you to compare results to goals you set.



Return On Investment

FLEETS

Trucks in Fleet: **75**

Trailers in Fleet: **125**

Yearly Fuel Savings | €153.563

Yearly Tire Savings | €51.235

Combined Yearly Savings	€204798
Equipment Investment	€160.000*

Equipment Payback | 9 Months

HD REPAIR

Trucks per Week: **50**

Weekly Alignment Gross Profit
(@ €70 per axle) | €2.573

Weekly Tire Gross Profit | €1.913

Add'l Weekly Gross Profit	€4.485
Equipment Investment	€160.000*

Equipment Payback | 9 Months

* Estimated Pricing, final investment dependent on site construction costs.

For a more detailed, interactive return on investment estimate, scan this QR code to visit our website.



Specifications

Site Specifications	
Power Requirements	115/230v, 15 amp** 50/60 Hz 1 ph†
Internet Requirement	Hardwired, 20+mbps up and down, Ping Speed faster than 1000 ms.
Operating System	Windows® 10 - 64 Bit
Included Cable Length	22 m / 75 ft. per sensor (Cat5e)
Product Specifications	
Min Req. Light Condition	600 Lux
Test Entry Speed	3-13 km/h (2 to 8 mph)
Shipping Weight	
Console Cabinet	WU570E: 179 kg (393 lb), WU590E: 73 kg (161 lb)
Sensor Towers	157 kg (345 lbs)
Tread Depth Assembly (including frame, sensors, hardware)	2280 kg (5026 lbs)

** Amperage shown is minimal circuit rating.

† Isolated ground recommended.

Because of continuing technological advances, specifications, models and options are subject to change without notice.



NOTE: See form QF07913-00, 07m-21 for complete information, including environmental specifications and UL certifications.

HUNTER
Engineering Company

www.hunter.com

11250 Hunter Drive, Bridgeton, MO 63044, USA
Tel: +1-314-731-3020, Fax: +1-314-731-0132
Email: international@hunter.com